UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/700,236	05/09/2001	Xiong Zhang	83973/269224	3694
27498 7590 02/02/2009 PILLSBURY WINTHROP SHAW PITTMAN LLP P.O. BOX 10500 MCLEAN WA 22102			EXAMINER	
			SONG, MATTHEW J	
MCLEAN, VA 22102			ART UNIT	PAPER NUMBER
			1792	
			MAIL DATE	DELIVERY MODE
			02/02/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)		
	09/700,236	ZHANG ET AL.		
Office Action Summary	Examiner	Art Unit		
	MATTHEW J. SONG	1792		
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the	correspondence address		
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period is Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be till will apply and will expire SIX (6) MONTHS from e, cause the application to become ABANDONE	N. mely filed the mailing date of this communication. ED (35 U.S.C. § 133).		
Status				
1) ☐ Responsive to communication(s) filed on 13 N 2a) ☐ This action is FINAL . 2b) ☐ This 3) ☐ Since this application is in condition for alloware closed in accordance with the practice under B	action is non-final. nce except for formal matters, pro			
Disposition of Claims				
4) ☐ Claim(s) <u>1-14</u> is/are pending in the application 4a) Of the above claim(s) is/are withdra 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) <u>1-14</u> is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/o	wn from consideration.			
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) accomplicated any accomplication and accomplication and accomplication and accomplication and accomplication are declarated as a specific accomplication are declarated as a specific accomplication and accomplication accomplication are declarated as a specific accomplication and accomplication accomplication accomplication accomplication accomplication accomplication and accomplication ac	epted or b) objected to by the drawing(s) be held in abeyance. Se tion is required if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).		
Priority under 35 U.S.C. § 119				
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 				
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F 6) Other:	ate		

Application/Control Number: 09/700,236 Page 2

Art Unit: 1792

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 11/13/2008 has been entered.

Claim Rejections - 35 USC § 112

2. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

3. Claims 1-14 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. Claim 1 recites, "wherein the compound semiconductors A and B do not have equal but opposite lattice mismatches such that the average lattice constant matches that of the group III nitride compound semiconductor" in lines 8-10. This limitation is a negative limitation. Any negative limitation or exclusionary proviso must have basis in the original disclosure and the mere absence of a positive recitation is not basis for an exclusion (MPEP 2173.05(i)). There is no

basis for this negative limitation in the original disclosure. The original disclosure does not teach anything regarding the compound semiconductors not have equal but opposite lattice matches.

There is only support for the compound semiconductors having different lattice constants.

Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

5. Claims 1-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nakamura (US 5,290,393) in view of Tischler et al (US 5,679,152) and Tischler et al ("Defect Reduction in GaAs epitaxial layers using GaAsP-InGaAs strained layer superlattice").

Nakamura teaches forming a buffer layer of Ga_xAl_{1-x}N on a substrate at a first temperature and forming an epitaxial layer of a gallium nitride based compound on the buffer at

Art Unit: 1792

a second temperature (col 4, ln 1-10). Nakamura also teaches AlN, which is grown at a low temperature, is a polycrystalline layer and when the temperature of the substrate is increased to about 1000°C in order to form GaN (col 4, ln 40-55), the polycrystalline layer partially becomes monocrystalline, this reads on applicant's intermediate buffer layer partially recrystalizes at said temperature. Nakamura also teaches the temperature of epitaxial growth is 900-1150°C and the temperature for the polycrystalline buffer layer is 200-900°C (col 5, ln 50-60 and col 6, ln 15-25). Nakamura also teaches forming a p-type or n-type GaN epitaxial layer (col 6, ln 1-15). Nakamura also teaches growing the buffer layer and the epitaxial layer using MOCVD (col 1, ln 1-67 and Example 1).

Nakamura teaches forming a single buffer layer. Nakamura does not teach forming a MOCVD periodic or non-periodic amorphous or polycrystalline intermediate multi-layered buffer having at least three layers with each layer having a thickness in the range of 2nm-6nm on a substrate in which the layers alternate between at least two types of compound semiconductors A and B different from each other in lattice constant, energy band gap, layer thickness and composition.

In a method of making GaN single crystals, Tischler et al teaches dislocations arising from lattice mismatch are reduced in GaN layers by using buffer layers which may be a single compound, a compositionally graded layer structure or a superlattice structure comprising alternating layers A and B, where A and B are selected from GaN, AlN, and InN and alloys of SiC with these nitrides, this reads on applicant's A and B different in lattice constant, energy band gap and composition. Tischler et al also teaches the strained superlattice can comprise 5 to 200 alternating A and B layers. Tischler et al also teaches by using such superlattices, it is

Art Unit: 1792

possible to force misfit dislocations to the edge of the substrate instead of permitting them to propagate up into the growing layer and such superlattice buffer layers have been characterized previously (col 4, ln 1-67). It would have been obvious to a person of ordinary skill in the art at the time of the invention to modify Nakamura by using a superlattice buffer, as taught by Tischler et al, to reduce lattice mismatch by forming misfit dislocations to the edge of the substrate.

The combination of Nakamura and Tischler et al does not teach the thickness of each layer is 2 nm to 6 nm and layers A and B have a different thickness.

In a method of defect reduction in epitaxial layers using superlattices, Tischler et al teaches a superlattice is constructed of layers with different lattice constants such that layers are alternately under compression and tension. Tischler et al also teaches the layers are thinner than a maximum thickness such that the strain in accommodated elastically, but greater than a minimum thickness required for "bending over" the dislocations, this is a teaching that the thickness of the layers of the superlattice are result effective variables. Tischler et al also teaches a ten period superlattice buffer (SLB) grown using MOCVD at a growth temperature of 630°C.

It would have been obvious to a person of ordinary skill in the art at the time of the invention to modify the combination of Nakamura and Tischler et al ('152) by optimizing the thickness of each layer of the superlattice, as taught by Tischler et al to obtain different thickness of each layer between 2 and 6nm to prevent dislocation propagation from the substrate.

Referring to the limitation "wherein the compound semiconductors A and B do not have equal but opposite lattice mismatches such that the average lattice constant matches that of the group III nitride compound semiconductor," Tischler et al teaches the problem that arises with

Art Unit: 1792

strained superlattice structures is that they are not, as a whole lattice matched to the substrate or epitaxial layer, and what is needed is a superlattice compounds of two materials having equal but opposite lattice mismatches, such that the average lattice constant matches that of GaAs (pg 294). The conventionally known superlattices which are not lattice matched would have been obvious to one of ordinary skill in the art to bend dislocations.

Referring to claim 2, the combination of Nakamura, Tischler et al ('152) and Tischler et al teaches a p-type or n-type epitaxial layer ('393 col 6, ln 1-10).

Referring to claim 3-4, the combination of Nakamura, Tischler et al ('152) and Tischler et al teaches using MOCVD to grow the buffer layers ('393 Example 1 and Tischler pg 294).

Referring to claims 5 and 11, the combination of Nakamura, Tischler et al ('152) and Tischler et al teaches using GaN, AlN and InN.

Referring to claim 6, the combination of Nakamura, Tischler et al ('152) and Tischler et al teaches a sapphire substrate ('152 col 2, ln 40-50 and '393 Example 1).

Referring to claim 7, the combination of Nakamura, Tischler et al ('152) and Tischler et al teaches the polycrystalline buffer is formed at 200-900°C ('393 col 6, ln 10-25 and Tischler pg 294).

Referring to claims 8, 13 and 14, the combination of Nakamura, Tischler et al ('152) and Tischler et al does not teach the thickness of 24 nm and 3 period of AB units or the buffer thickness is less than 48 nm or 96 nm. The thickness of each buffer layer and the total buffer layer thickness is well known in the art to be a result effective variable, as evidenced by Nakamura (col 5, ln 45-55) and Tischler et al (pg 294). Therefore, it would have been obvious to a person of ordinary skill in the art at the time of the invention to modify the combination of

Nakamura, Tischler et al ('152) and Tischler et al by optimizing the thickness of the superlattice buffer by conducting routine experimentation of a result effective variable to obtain the claimed thickness. Furthermore, where the general conditions of a claim are disclosed in the prior art, it is not inventive to discover the optimum or workable ranges by routine experimentation. (In re Aller, 220 F.2d 454, 456, 105 USPQ 233, 235(CCPA 1955)).

Referring to claims 9-10, the combination of Nakamura, Tischler et al ('152) and Tischler et al teaches GaN, AlN or InN ('152 col 4, ln 35-50).

Response to Arguments

- 6. Applicant's arguments with respect to claims 1-14 have been considered but are moot in view of the new ground(s) of rejection.
- 7. Applicant's arguments filed 11/13/2008 have been fully considered but they are not persuasive.

Applicant's argument that Tischler et al teaches compound semiconductors A and B have equal but opposite lattice mismatches such that the average lattice constant matches that of the group III nitride compound semiconductor is noted but not found persuasive. Tischler does teach this feature which is not explicitly excluded by applicant's instant claim amendment. However, Tischler et al's teaching is directed to an improvement to the prior art, and superlattice buffers which are not lattice matched a compound semiconductor are conventionally known, as taught by Tischler et al. Tischler et al teaches the problem that arises with strained superlattice structures is that they are not, as a whole lattice matched to the substrate or epitaxial layer, and

Application/Control Number: 09/700,236 Page 8

Art Unit: 1792

what is needed is a superlattice compounds of two materials having equal but opposite lattice mismatches, such that the average lattice constant matches that of GaAs (pg 294). The conventionally known superlattices which are not lattice matched would have been obvious to one of ordinary skill in the art to bend dislocations.

Conclusion

8. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Shichijo et al (US 5,238,869) teaches a polycrystalline superlattice (col 4, ln 15-30).

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to MATTHEW J. SONG whose telephone number is (571)272-1468. The examiner can normally be reached on M-F 9:00-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Kornakov can be reached on 571-272-1303. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 09/700,236 Page 9

Art Unit: 1792

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Matthew J Song Examiner Art Unit 1792

MJS

January 27, 2009

/Robert M Kunemund/ Primary Examiner, Art Unit 1792